ELSEVIER

Clinica Chimica Acta 270 (1998) 203–204

Author index

Volume 270 (1998)

Albert, A., De Moor, G., Libeer, J.-C., External quality assessment (EQA) of Belgian clinical laboratories. The telematics paradigm **270**, 43
Ali, M.M., see Blom, E. **270**, 125

Berezov, T.T., see Koudinov, A.R. **270**, 75
Beuermann, K., see Bolte, G. **270**, 151
Blom, E., Ali, M.M., Mortensen, B., Huseby, N.-E., Elimination of alkaline phosphatases from circulation by the galactose receptor. Different isoforms are cleared at various rates **270**, 125
Bolte, G., Wolburg, H., Beuermann, K., Stocker, S., Stern, M., Specific interaction of food proteins with apical membranes of the human intestinal cell lines Caco-2 and T84 **270**, 151
Boomsma, F., see Van Dijk, J. **270**, 189
Brownlee, C., see Talwar, D. **270**, 85

Casaril, M., see Guarini, P. **270**, 139
Cheesmar, R., see Hooper, R.J.L. **270**, 65
Cooney, J., see Talwar, D. **270**, 85
Corrocher, R., see Guarini, P. **270**, 139

De Moor, G., see Albert, A. **270**, 43
Dubois, D., Prade, H., An introduction to fuzzy systems **270**, 3

Galliano, M., see Savva, D. **270**, 195
Galvani, S., see Guarini, P. **270**, 139
Guarini, P., Stanzial, A.M., Olivieri, O., Casaril, M., Galvani, S., Pantalena, M., Corrocher, R., Erythrocyte membrane lipids and serum selenium in post-viral and alcoholic cirrhosis **270**, 139

Ha, T.K., see Talwar, D. **270**, 85
Hiramitsu, S., see Ishii, J. **270**, 183
Hishida, H., see Ishii, J. **270**, 183
Hooper, R.J.L., O'Connor, J., Cheesmar, R., Clinical case-based multimedia tutorials as a solution to some problems facing medical education **270**, 65
Huseby, N.-E., see Blom, E. **270**, 125

Inoue, S., see Ishii, J. **270**, 183
Ishii, J., Ishikawa, T., Yukitake, J., Nagamura, Y., Ito, M., Wang, J.-h., Kato, Y., Hiramitsu, S., Inoue, S., Kondo, T., Morimoto, S.-i., Nomura, M., Watanabe, Y., Hishida, H., Clinical specificity of a second-generation cardiac troponin T assay in patients with chronic renal failure **270**, 183
Ishikawa, T., see Ishii, J. **270**, 183
Ito, M., see Ishii, J. **270**, 183

Kadohno, N., see Okazaki, T. **270**, 169
Kato, Y., see Ishii, J. **270**, 183
Kondo, T., see Ishii, J. **270**, 183
Koudinov, A.R., Berezov, T.T., Kumar, A., Koudinova, N.V., Alzheimer's amyloid β interaction with normal human plasma high density lipoprotein: association with apolipoprotein and lipids **270**, 75
Koudinova, N.V., see Koudinov, A.R. **270**, 75
Kragh-Hansen, U., see Savva, D. **270**, 195
Kumar, A., see Koudinov, A.R. **270**, 75

Levy, P.A., Miller, J.B., Shapira, E., The advantage of phenylalanine to tyrosine ratio for the early detection of phenylketonuria **270**, 177
Li, B., see Savva, D. **270**, 195
Libeer, J.-C., see Albert, A. **270**, 43

Mayer, M., Laboratory cost control and financial management software **270**, 55

0009-8981/98/$19.00 Elsevier Science B.V. All rights reserved
PII S0009-8981(98)00004-7

Miller, J.B., see Levy, P.A. **270**, 177
Minchiotti, L., see Savva, D. **270**, 195
Morimoto, S.-i., see Ishii, J. **270**, 183
Mortensen, B., see Blom, E. **270**, 125

Nagai, T., see Okazaki, T. **270**, 169
Nagamura, Y., see Ishii, J. **270**, 183
Nomura, M., see Ishii, J. **270**, 183

O'Connor, J., see Hooper, R.J.L. **270**, 65
Okazaki, T., Omura, K., Kadohno, N., Yamamori, S., Yanagisawa, Y., Nagai, T., Identification and quantitative analysis of haptoglobin Johnson heterozygote **270**, 169
Olivieri, O., see Guarini, P. **270**, 139
Omura, K., see Okazaki, T. **270**, 169
O'Reilly, D. St. J., see Talwar, D. **270**, 85

Pantalena, M., see Guarini, P. **270**, 139
Prade, H., see Dubois, D. **270**, 3

Reglinski, J., see Spickett, C.M. **270**, 115
Rössler, A., An ultrasensitive, nonisotopic immunoassay for hyaluronan using the streptavidin–biotin system **270**, 101

Sanchez, E., Fuzzy logic and inflammatory protein variations **270**, 31
Savva, D., Li, B., Kragh-Hansen, U., Galliano, M., Minchiotti, L., Tárnoky, A.L., Genetic variation in human serum albumin: a 313 Lys→Asn mutation in Albumin Reading identified by PCR analysis **270**, 195
Shapira, E., see Levy, P.A. **270**, 177
Smith, W.E., see Spickett, C.M. **270**, 115
Spickett, C.M., Smith, W.E., Reglinski, J., Wilson, R., Walker, J.J., Oxidation of erythrocyte glutathione by monocytes stimulated with interleukin-6. Analysis by ^{1}H spin echo NMR **270**, 115
Stanzial, A.M., see Guarini, P. **270**, 139
Stern, M., see Bolte, G. **270**, 151
Stocker, S., see Bolte, G. **270**, 151

Talwar, D., Ha, T.K., Cooney, J., Brownlee, C., O'Reilly, D. St. J., A routine method for the simultaneous measurement of retinol, α-tocopherol and five carotenoids in human plasma by reverse phase HPLC **270**, 85
Tárnoky, A.L., see Savva, D. **270**, 195

van Dijk, J., Boomsma, F., Stability of semicarbazide-sensitive amine oxidase in human blood and plasma **270**, 189

Walker, J.J., see Spickett, C.M. **270**, 115
Wang, J.-h., see Ishii, J. **270**, 183
Watanabe, Y., see Ishii, J. **270**, 183
Wilson, R., see Spickett, C.M. **270**, 115
Wolburg, H., see Bolte, G. **270**, 151

Yamamori, S., see Okazaki, T. **270**, 169
Yanagisawa, Y., see Okazaki, T. **270**, 169
Yukitake, J., see Ishii, J. **270**, 183

ELSEVIER

Clinica Chimica Acta 270 (1998) 205–207

Subject index

Volume 270 (1998)

Albumin reading; Albumin variants; Bisalbuminaemia; PCR for mutant albumin gene **270**, 195

Albumin variants; Bisalbuminaemia; Albumin reading; PCR for mutant albumin gene **270**, 195

Alkaline phosphatase; Asialoglycoprotein receptor; Clearance; Isoforms **270**, 125

Alzheimer's disease; Amyloid beta protein; Apolipoprotein; Biotinylation; High density lipoprotein; Lipid **270**, 75

Amyloid beta protein; Alzheimer's disease; Apolipoprotein; Biotinylation; High density lipoprotein; Lipid **270**, 75

Analytical goals; Quality control; Inter-laboratory variability; Electronic data interchange **270**, 43

Antioxidants; Free radicals; Ascorbic acid; Reference ranges **270**, 85

Apolipoprotein; Amyloid beta protein; Alzheimer's disease; Biotinylation; High density lipoprotein; Lipid **270**, 75

Approximate reasoning; Fuzzy sets; Possibility theory; Fuzzy systems; Flexible constraint **270**, 3

Ascorbic acid; Antioxidants; Free radicals; Reference ranges **270**, 85

Asialoglycoprotein receptor; Alkaline phosphatase; Clearance; Isoforms **270**, 125

Biotinylation; Amyloid beta protein; Alzheimer's disease; Apolipoprotein; High density lipoprotein; Lipid **270**, 75

Bisalbuminaemia; Albumin variants; Albumin reading; PCR for mutant albumin gene **270**, 195

Brush border membrane; Colon carcinoma cell line; Food protein binding; Small intestinal epithelial cell; Tight junction **270**, 151

Cardiac troponin I; Cardiac troponin T; Chronic renal failure **270**, 183

Cardiac troponin T; Cardiac troponin I; Chronic renal failure **270**, 183

Chronic renal failure; Cardiac troponin T; Cardiac troponin I **270**, 183

Cirrhosis; Erythrocytes; Membrane fatty acid; Selenium **270**, 139

Clearance; Alkaline phosphatase; Asialoglycoprotein receptor; Isoforms **270**, 125

Colon carcinoma cell line; Brush border membrane; Food protein binding; Small intestinal epithelial cell; Tight junction **270**, 151

Computer-aided; Medical education; Self-managed; Interactive **270**, 65

Cost analysis; Management; Software **270**, 55

0009-8981/99/$19.00 Elsevier Science B.V. All rights reserved
PII S0009-8981(98)00005-9

Electronic data interchange; Quality control; Inter-laboratory variability; Analytical goals **270**, 43

Erythrocytes; Cirrhosis; Membrane fatty acid; Selenium **270**, 139

Flexible constraint; Fuzzy sets; Possibility theory; Fuzzy systems; Approximate reasoning **270**, 3

Food protein binding; Brush border membrane; Colon carcinoma cell line; Small intestinal epithelial cell; Tight junction **270**, 151

Free radicals; Antioxidants; Ascorbic acid; Reference ranges **270**, 85

Fuzzy logic; Soft matching; Linguistic model; Inflammatory syndromes **270**, 31

Fuzzy sets; Possibility theory; Fuzzy systems; Approximate reasoning; Flexible constraint **270**, 3

Fuzzy systems; Fuzzy sets; Possibility theory; Approximate reasoning; Flexible constraint **270**, 3

Glutathione; ^{1}H-NMR; Oxidative stress; Monocyte; IL-6; Indomethacin **270**, 115

Haptoglobin; Hp-Johnson heterozygote; Southern blotting; Polyacrylamide gel electrophoresis **270**, 169

High density lipoprotein; Amyloid beta protein; Alzheimer's disease; Apolipoprotein; Biotinylation; Lipid **270**, 75

^{1}H-NMR; Oxidative stress; Monocyte; IL-6; Glutathione; Indomethacin **270**, 115

Hp-Johnson heterozygote; Haptoglobin; Southern blotting; Polyacrylamide gel electrophoresis **270**, 169

Human plasma; Semicarbazide-sensitive amine oxidase (SSAO); Stability **270**, 189

Hyaluronate; Hyaluronic acid; Immunoassay; Keratan sulfate; Nonisotopic labelling; Proteoglycan; TRFIA **270**, 101

Hyaluronic acid; Hyaluronate; Immunoassay; Keratan sulfate; Nonisotopic labelling; Proteoglycan; TRFIA **270**, 101

IL-6; ^{1}H-NMR; Oxidative stress; Monocyte; Glutathione; Indomethacin **270**, 115

Immunoassay; Hyaluronate; Hyaluronic acid; Keratan sulfate; Nonisotopic labelling; Proteoglycan; TRFIA **270**, 101

Indomethacin; ^{1}H-NMR; Oxidative stress; Monocyte; IL-6; Glutathione **270**, 115

Inflammatory syndromes; Fuzzy logic; Soft matching; Linguistic model **270**, 31

Interactive; Medical education; Computer-aided; Self-managed **270**, 65

Inter-laboratory variability; Quality control; Electronic data interchange; Analytical goals **270**, 43

Isoforms; Alkaline phosphatase; Asialoglycoprotein receptor; Clearance **270**, 125

Keratan sulfate; Hyaluronate; Hyaluronic acid; Immunoassay; Nonisotopic labelling; Proteoglycan; TRFIA **270**, 101

Linguistic model; Fuzzy logic; Soft matching; Inflammatory syndromes **270**, 31

Lipid; Amyloid beta protein; Alzheimer's disease; Apolipoprotein; Biotinylation; High density lipoprotein **270**, 75

Management; Cost analysis; Software **270**, 55

Medical education; Computer-aided; Self-managed; Interactive **270**, 65

Membrane fatty acid; Cirrhosis; Erythrocytes; Selenium **270**, 139

Monocyte; ^{1}H-NMR; Oxidative stress; IL-6; Glutathione; Indomethacin **270**, 115

Newborn screening; Phenylalanine; Phenylketonuria; PKU **270**, 177

Nonisotopic labelling; Hyaluronate; Hyaluronic acid; Immunoassay; Keratan sulfate; Proteoglycan; TRFIA **270**, 101

Oxidative stress; ^{1}H-NMR; Monocyte; IL-6; Glutathione; Indomethacin **270**, 115

PCR for mutant albumin gene; Albumin variants; Bisalbuminaemia; Albumin reading **270**, 195

Phenylalanine; Phenylketonuria; PKU; Newborn screening **270**, 177

Phenylketonuria; Phenylalanine; PKU; Newborn screening **270**, 177

PKU; Phenylalanine; Phenylketonuria; Newborn screening **270**, 177

Polyacrylamide gel electrophoresis; Haptoglobin; Hp-Johnson heterozygote; Southern blotting **270**, 169

Possibility theory; Fuzzy sets; Fuzzy systems; Approximate reasoning; Flexible constraint **270**, 3

Proteoglycan; Hyaluronate; Hyaluronic acid; Immunoassay; Keratan sulfate; Nonisotopic labelling; TRFIA **270**, 101

Quality control; Inter-laboratory variability; Electronic data interchange; Analytical goals **270**, 43

Reference ranges; Antioxidants; Free radicals; Ascorbic acid **270**, 85

Selenium; Cirrhosis; Erythrocytes; Membrane fatty acid **270**, 139

Self-managed; Medical education; Computer-aided; Interactive **270**, 65

Semicarbazide-sensitive amine oxidase (SSAO); Stability; Human plasma **270**, 189

Small intestinal epithelial cell; Brush border membrane; Colon carcinoma cell line; Food protein binding; Tight junction **270**, 151

Soft matching; Fuzzy logic; Linguistic model; Inflammatory syndromes **270**, 31

Software; Cost analysis; Management **270**, 55

Southern blotting; Haptoglobin; Hp-Johnson heterozygote; Polyacrylamide gel electrophoresis **270**, 169

Stability; Semicarbazide-sensitive amine oxidase (SSAO); Human plasma **270**, 189

TRFIA; Hyaluronate; Hyaluronic acid; Immunoassay; Keratan sulfate; Nonisotopic labelling; Proteoglycan **270**, 101

Tight junction; Brush border membrane; Colon carcinoma cell line; Food protein binding; Small intestinal epithelial cell **270**, 151